

# 142992- Jardin Collection Diffuser - Sandalwood

## Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 20/01/2022

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Home Frag Diffuser + BT374324  
UFI : EJ05-2VSJ-CF3F-6KV5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Household

##### 1.2.2. Uses advised against

No information available

#### 1.3. Details of the supplier of the safety data sheet

Allied Imports  
804 Northwest Business Park  
Ballycoolin  
Dublin 15  
D15 A9WE  
Ph: +353 1 8809150

#### 1.4. Emergency telephone number

+353 1 809 2166 (members of the public, lines open 8am to 10pm daily)  
+343 1 809 2566 or +353 1 837 9964 (medical professionals, lines open 24/7)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Sensitizer, Category 1 H317  
Chronic Hazard, Category 2 H411  
Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Contains (HEXYL CINNAMIC ALDEHYDE; LIME OIL; SAFRANAL; COUMARINE; CARYOPHYLLENE; CASHMERAN; EUGENOL; D-LIMONENE; LINALOOL; PTBCHA) .May produce an allergic reaction.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]



Hazard pictograms	:	Warning.
Hazard statements (CLP)	:	H317- May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	:	P273 - Avoid release to the environment. P391 - Collect spillage. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# 142992- Jardin Collection Diffuser - Sandalwood

## Safety Data Sheet

according to Regulation (EU) 2020/878

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Dipropylene glycol monomethyl ether(DPM)	(CAS-No.) 34590-94-8 (EC-No.) 252-104-2	85	Not classified	
BT374324	HEXYL CINNAMIC ALDEHYDE	(CAS-No.) 101-86-0 (EC-No.) 202-983-3	>= 0.015 - < 0.15	H317- H400- H411-
	GALAXOLIDE	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9	>= 0.015 - < 0.15	H400- H410-
	LIME OIL	(CAS-No.) 8008-26-2 (EC-No.) 290-010-3	>= 0.015 - < 0.15	H226- H304- H315- H317- H411-
	SAFRANAL	(CAS-No.) 116-26-7 (EC-No.) 204-133-7	>= 0.015 - < 0.15	H302- H317- H411-
	COUMARINE	(CAS-No.) 91-64-5 (EC-No.) 202-086-7	>= 0.015 - < 0.15	H302- H317- H412-
	CARYOPHYLLENE	(CAS-No.) 87-44-5 (EC-No.) 201-746-1	>= 0.015 - < 0.15	H304- H317-
	CASHMERAN	(CAS-No.) 33704-61-9 (EC-No.) 251-649-3	>= 0.015 - < 0.15	H315- H317- H319- H411-
	EUGENOL	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	>= 0.015 - < 0.15	H317- H319-
	D-LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5	>= 0.15 - < 0.75	H226- H304- H315- H317- H400- H412-
	LINALOOL	(CAS-No.) 78-70-6 (EC-No.) 201-134-4	>= 0.15 - < 0.75	H315- H317- H319-
	PTBCHA	(CAS-No.) 32210-23-4 (EC-No.) 250-954-9	>= 0.15 - < 0.75	H317-
	ISORALDEINE	(CAS-No.) 127-51-5 (EC-No.) 204-846-3	>= 0.15 - < 0.75	H411-
	SANDALMYSORE	(CAS-No.) 28219-60-5 (EC-No.) 248-907-2	>= 0.15 - < 0.75	H319- H400- H410-
	BANGANOL	(CAS-No.) 28219-61-6 (EC-No.) 248-908-8	>= 0.15 - < 0.75	H319- H410-
	CEDARWOOD OIL	(CAS-No.) 85085-41-2 (EC-No.) 285-370-3	>= 0.75 - < 1.5	H304- H315- H317- H411-
	ISO E SUPER	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3	>= 0.75 - < 1.5	H315- H317- H410-
AMBER CORE	(CAS-No.) 139504-68-0 (EC-No.) 412-300-2	>= 0.75 - < 1.5	H319- H411-	
KOAVONE	(CAS-No.) 81786-73-4 (EC-No.) 279-822-9	>= 2.25 - < 3	H319- H411-	
BENZYL BENZOATE	(CAS-No.) 120-51-4 (EC-No.) 204-402-9	>= 3 - < 3.75	H302- H411-	

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: If symptoms persist, call a physician.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.

# 142992- Jardin Collection Diffuser - Sandalwood

## Safety Data Sheet

according to Regulation (EU) 2020/878

First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Rashes. Bruises. May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.  
Unsuitable extinguishing media : No information available.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Thermal decomposition generates : Carbon dioxide (CO<sub>2</sub>). Carbon monoxide.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb remaining liquid with sand or inert absorbent and remove to safe place.  
Other information : Dispose of materials or solid residues at an authorized site.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Dipropylene glycol monomethyl ether (34590-94-8)		
EU	IOELV TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	50 ppm
Austria	MAK (mg/m <sup>3</sup> )	307 mg/m <sup>3</sup> (mixed isomers)
Austria	MAK (ppm)	50 ppm (mixed isomers)
Austria	MAK Short time value (mg/m <sup>3</sup> )	614 mg/m <sup>3</sup> (isomers mixtures)
Austria	MAK Short time value (ppm)	100 ppm (isomers mixtures)
Belgium	Limit value (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	50 ppm
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>

# 142992- Jardin Collection Diffuser - Sandalwood

## Safety Data Sheet

according to Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)		
Bulgaria	OEL TWA (ppm)	50 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Croatia	GVI (granična vrijednost izloženosti) (ppm)	50 ppm
Cyprus	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Cyprus	OEL TWA (ppm)	50 ppm
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	309 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	50 ppm
Estonia	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Estonia	OEL TWA (ppm)	50 ppm
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	310 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	50 ppm
France	VME (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup> (restrictive limit)
France	VME (ppm)	50 ppm (restrictive limit)
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	310 mg/m <sup>3</sup> (isomer mixture)
Germany	TRGS 900 Occupational exposure limit value (ppm)	50 ppm (isomer mixture)
Gibraltar	Eight hours mg/m <sup>3</sup>	308 mg/m <sup>3</sup>
Gibraltar	Eight hours ppm	50 ppm
Greece	OEL TWA (mg/m <sup>3</sup> )	600 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	900 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	150 ppm
Hungary	AK-érték	308 mg/m <sup>3</sup>
Hungary	CK-érték	308 mg/m <sup>3</sup> (Substances with European indicative limits (96/94/EC, 2000/39/EC, 2006/15/EC, 2009/161/EU), which currently has no peak limit concentration. In these cases, Annex 3.1. should be used exercised)
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	924 mg/m <sup>3</sup> (calculated)
Ireland	OEL (15 min ref) (ppm)	150 ppm (calculated)
Italy	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Italy	OEL TWA (ppm)	50 ppm
Latvia	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Latvia	OEL TWA (ppm)	50 ppm
Lithuania	IPRV (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Lithuania	IPRV (ppm)	50 ppm
Lithuania	TPRV (mg/m <sup>3</sup> )	450 mg/m <sup>3</sup>
Lithuania	TPRV (ppm)	75 ppm
Malta	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Malta	OEL TWA (ppm)	50 ppm
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Poland	NDS (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup> (mixture of isomers)
Poland	NDSch (mg/m <sup>3</sup> )	480 mg/m <sup>3</sup> (mixture of isomers: Propanol, 1(or 2)-(2-methoxymethylethoxy)-, Propanol, 1-(1-methoxymethylethoxy)
Portugal	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL TWA (ppm)	50 ppm (indicative limit value)
Portugal	OEL STEL (ppm)	150 ppm
Romania	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Romania	OEL TWA (ppm)	50 ppm
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	50 ppm
Slovakia	NPHV (Hraničná) (mg/m <sup>3</sup> )	568 mg/m <sup>3</sup>

# 142992- Jardin Collection Diffuser - Sandalwood

## Safety Data Sheet

according to Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)		
Slovenia	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	50 ppm
Spain	VLA-ED (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup> (indicative limit value)
Spain	VLA-ED (ppm)	50 ppm (indicative limit value)
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	450 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	75 ppm
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	924 mg/m <sup>3</sup> (calculated)
United Kingdom	WEL STEL (ppm)	150 ppm (calculated)
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	50 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m <sup>3</sup> )	375 mg/m <sup>3</sup> (value calculated)
Norway	Grenseverdier (Korttidsverdi) (ppm)	75 ppm (value calculated)
Switzerland	MAK (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Switzerland	MAK (ppm)	50 ppm
Switzerland	KZGW (mg/m <sup>3</sup> )	300 mg/m <sup>3</sup>
Switzerland	KZGW (ppm)	50 ppm
Turkey	OEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Turkey	OEL TWA (ppm)	50 ppm
Australia	TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
Australia	TWA (ppm)	50 ppm
Canada (Quebec)	VECD (mg/m <sup>3</sup> )	909 mg/m <sup>3</sup>
Canada (Quebec)	VECD (ppm)	150 ppm
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	606 mg/m <sup>3</sup>
Canada (Quebec)	VEMP (ppm)	100 ppm
USA - ACGIH	ACGIH TWA (ppm)	100 ppm
USA - ACGIH	ACGIH STEL (ppm)	150 ppm
USA - IDLH	US IDLH (ppm)	600 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	600 mg/m <sup>3</sup>
USA - NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA - NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	900 mg/m <sup>3</sup>
USA - NIOSH	NIOSH REL (STEL) (ppm)	150 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	600 mg/m <sup>3</sup>
USA - OSHA	OSHA PEL (TWA) (ppm)	100 ppm

## 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Hand protection:

Protective gloves

### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# 142992- Jardin Collection Diffuser - Sandalwood

## Safety Data Sheet

according to Regulation (EU) 2020/878

### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Clear.
Odour	: No data available.
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Critical temperature	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Critical pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density and/or relative density	: No data available
Relative gas density	: No data available
Solubility	: No data available.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available
Lower explosion limit (LEL)	: No data available
Upper explosion limit (UEL)	: No data available
Particle characteristics	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# 142992- Jardin Collection Diffuser - Sandalwood

## Safety Data Sheet

according to Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Dipropylene glycol monomethyl ether (34590-94-8)

LD50 oral rat	5400 µl/kg
LD50 dermal rabbit	9500 mg/kg

Skin corrosion/irritation	: Not classified pH: No data available
Serious eye damage/irritation	: Not classified pH: No data available
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

#### 11.2. Information on other hazards

No information available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

#### Dipropylene glycol monomethyl ether (34590-94-8)

LC50 fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)

#### 12.2. Persistence and degradability

##### Home Frag Diffuser + BT374324

Persistence and degradability	No information available.
-------------------------------	---------------------------

#### 12.3. Bioaccumulative potential

##### Home Frag Diffuser + BT374324

Log Pow	No data available
Log Kow	No data available
Bioaccumulative potential	No information available.

#### Dipropylene glycol monomethyl ether (34590-94-8)

Log Pow	-0.064 (at 20 °C)
---------	-------------------

#### 12.4. Mobility in soil

##### Home Frag Diffuser + BT374324

Ecology - soil	No information available.
----------------	---------------------------

#### 12.5. Results of PBT and vPvB assessment

##### Home Frag Diffuser + BT374324

PBT: not yet assessed
vPvB: not yet assessed

#### 12.6. Endocrine disrupting properties

No information available.

#### 12.7. Other adverse effects

Other adverse effects	: No information available.
-----------------------	-----------------------------

# 142992- Jardin Collection Diffuser - Sandalwood

## Safety Data Sheet

according to Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 14.6. Special precautions for user

##### - Overland transport

Not applicable

##### - Transport by sea

Not applicable

##### - Air transport

Not applicable

##### - Inland waterway transport

Not applicable

##### - Rail transport

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

##### 15.1.2. National regulations

###### Germany

VwVwS Annex reference : Water hazard class (WGK) 2, significant hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

###### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

###### Denmark

# 142992- Jardin Collection Diffuser - Sandalwood

## Safety Data Sheet

according to Regulation (EU) 2020/878

Recommendations Danish Regulation : The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : LOLI.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

EU	European Union
CLP	Classification Labelling Packaging Regulation
CAS	Chemical Abstracts Service (division of the American Chemical Society)
EC-No	European Community Number
LD50	Lethal dose to 50%
PBT	Persistent, Bioaccumulative and Toxic substance
vPvB	Very Persistent and very Bioaccumulative

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*